

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Admin.
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072



IDENTITY (As used on Label and List)

NO-OX-ID E-800 CASING FILLER

NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name HYDRO-SAFE® OIL DIV., INC.	Emergency Telephone Number 24 Hours 1-800-424-9300
Address (Number, Street, City, State, and ZIP Code) 13626 Pearwood Drive.	Telephone Number for Information 1-800-500-5058
DeWitt, MI 48820	Date Prepared <i>Revised</i> February 19, 2001
Fax: 517-336-9213	Signature of Preparer (optional) Donn Rush

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name)	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
	N/A	N/A		
PETROLEUM WAX		CAS %	064742514	45%
REFINED PETROLEUM OILS			064742627	54%
FATTY ACID ESTER			068937848	1%

SECTION III - Physical/Chemical Characteristics

Boiling Point	450°F	Specific Gravity	0.90
Vapor Pressure (mm Hg)	N/A	Melting Point	70°
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	Does Not Dissolve	pH	N/A
Appearance and Odor	Light to Dark Brown Grease, No Odor		

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	450°F 232°C (C.O.C.)	Flammable Limits	LEL	UEL
			0.9	6.0
Extinguishing Media	Dry Chemical, Foam, Sand			
Special Fire Fighting Procedures	None			
Unusual Fire and Explosion Hazards	None			

HMI	Health - 0,	Flammability	Reactivity	Personal Protection -
S:	Health - 0,	- 0,	- 1	None
NFP		Flammability	Reactivity	Special - None
A:		- 0,	- 1	

HYDRO-SAFE® NO-OX-ID CASING FILLER E-800

SECTION V - Reactivity Data

Stability	Unstable		Conditions to Avoid	Open Flame or Excessive Heat, Strong Oxidizing Materials
	Stable	X		

Incompatibility (Materials to Avoid)

Strong oxidizers

Hazardous Decomposition or Byproducts

None

Hazardous Polymerization	May Occur		Conditions to Avoid	N/A
	Will Not Occur	X		

SECTION VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Wash with soap and water.	Ingestion?	Induce Vomiting
	N/A				

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

Signs and Symptoms of Exposure

May cause minor skin irritation.

Medical Conditions Generally Aggravated by Exposure

None known.

Emergency and First Aid Procedures

Wash with soap and water. If ingested, induce vomiting.

SECTION VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Scoop up and wash area down with soap and water. Store in sealed drums for disposal.

Waste Disposal Method

Normal scavenger

Precautions to Be Taken in Handling and Storing

Store in cool dry area away from open flames and heat.

Other Precautions

None.

SECTION VIII - Control Measures

Respiratory Protection (Specify Type)

Not required.

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other
	N/A	N/A
	N/A	N/A

Protective Gloves

Rubber or vinyl

Eye Protection

Goggles

Other Protective Clothing or
Equipment

Not required.

Work/ Hygienic
Practices

Standard hygienic work practices are satisfactory.